

# ● EAST: UPDATE2 ●

L Number	Hits	Search Text	DB	Time stamp
1	972	709/208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 18:11
4	7275	709/203	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 18:12
5	2727	709/220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 18:13
6	5143	709/223	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 18:13
7	2672	709/226	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 18:13
-	77	("3971000"   "4251858"   "4319338"   "4688167"   "4701845"   "4845644"   "4858152"   "4897777"   "4912623"   "4937777"   "4949274"   "4953074"   "4974151"   "4979107"   "4992926"   "5012402"   "5023770"   "5047959"   "5072356"   "5072412"   "5109487"   "5122948"   "5131092"   "5134574"   "5151896"   "5151978"   "5157595"   "5159673"   "5161211"   "5165030"   "5179700"   "5225974"   "5245704"   "5251302"   "5283861"   "5297257"   "5307463"   "5321829"   "5343469"   "5349675"   "5386524"   "5398336"   "5406473"   "5420977"   "5430730"   "5440699"   "5446868"   "5471617"   "5528503"   "5598536"   "5611059"   "5613115"   "5623652"   "5625781"   "5699350"   "5734831"   "5793954"   "5805442"   "5862391"   "5889785"   "5950006"   "5982362"   "5997167"   "6016523"   "6028866"   "6032203"   "6058251"   "6061603"   "6061721"   "6122670"   "6151625"   "6151640"   "6263487"   "6271752"   "6282454"   "6484061"   "6587884").PN.	2004/05/11 15:59	
-	416	(program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:22
-	6362	("717").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:17
-	28426	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:17
-	34306	((("717").CLAS.) or (("709").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:17

-	65	((program or code or software or application).near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (((("717").CLAS.) or (("709").CLAS.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:19
-	1	((((program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (((("717").CLAS.) or (("709").CLAS.))) and (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:04
-	14	((program or code or software or application).near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:23
-	9	(program or code or software or application) near2 (optim\$8 or customiz\$5) same (ip adj address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:22
-	298	((("717").CLAS.) or (("709").CLAS.)) and (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:40
-	127	((("717").CLAS.) or (("709").CLAS.)) and (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))) and @ad<20000809) and (server or database) same request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:24
-	37	((("717").CLAS.) or (("709").CLAS.)) and (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))) and @ad<20000809) and (server or database) same request same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:39
-	0	((((program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (((("717").CLAS.) or (("709").CLAS.))) and (remote\$3 near3 program\$4) same (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:42
-	5	((((program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (((("717").CLAS.) or (("709").CLAS.))) and (remote\$3 near3 program\$4) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:41
-	41	(remote\$3 near3 program\$4) same (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:53
-	2	5604914.URPN.	USPAT	2004/05/11 16:53
-	3	(remote\$3 near3 program\$4) same (factory adj automation) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:55
-	6	(program\$4) same (factory adj automation) same server and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:55

-	9	((program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (((("717").CLAS.) or (("709").CLAS.))) and (application or program or software)-adj request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:04
-	648	((("717").CLAS.) or (("709").CLAS.)) and (application or program or software) adj request same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:05
-	2	((("717").CLAS.) or (("709").CLAS.)) and (application or program or software) adj request same server same address adj request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:06
-	12	((("717").CLAS.) or (("709").CLAS.)) and request adj3 (application or program or software) same server same address adj request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:19
-	19	((("717").CLAS.) or (("709").CLAS.)) and programmable adj controller same internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:34
-	248	((("717").CLAS.) or (("709").CLAS.)) and (server or database) near4 stor\$4 near4 (programs!) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 10:40
-	1	((("717").CLAS.) or (("709").CLAS.)) and (server or database) near4 stor\$4 near4 (programs!) and ((automat\$3 adj device) or ((programmable or logic) adj controller)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 10:52
-	4	programmable adj2 controller same internet same server same programs!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 10:52
-	615	((("717").CLAS.) or (("709").CLAS.)) and (program or code or software or function) same (based near2 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:35
-	296	((("717").CLAS.) or (("709").CLAS.)) and (program or code or software or function) same (based near2 address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:35
-	145	((("717").CLAS.) or (("709").CLAS.)) and (program or code or software or function) with (based near2 address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:36
-	5	((("717").CLAS.) or (("709").CLAS.)) and (program or code or software or function) with (select\$3) near4 (based near2 address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:35
-	79	((("717").CLAS.) or (("709").CLAS.)) and (program or code or software or function) with (based adj2 address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:40

-	7	((("717").CLAS.) or (("709").CLAS.)) and (programming) with (based adj2 (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:41
-	78	((("717").CLAS.) or (("709").CLAS.)) and (program\$4) with ((according or based) adj2 (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:46
-	33	((("717").CLAS.) or (("709").CLAS.)) and (program\$4) near4 ((according or based) adj2 (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:46
-	37105	("700").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:45
-	0	("700").CLAS.) same internet same program\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:45
-	0	("700").CLAS.) same server same program\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:46
-	9	("700").CLAS.) and (program\$4) near4 ((according or based) adj2 (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:46
-	0	((("717").CLAS.) or (("709").CLAS.)) and (program\$4 or code or software) same ((repson\$4) near4 (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:47
-	0	((("717").CLAS.) or (("709").CLAS.)) and (program\$4 or code or software) same ((repson\$4) with (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:47
-	0	((("717").CLAS.) or (("709").CLAS.)) and (program\$4 or code or software) same ((repson\$4) same (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:48
-	738	((("717").CLAS.) or (("709").CLAS.)) and (program\$4 or code or software) same (request) near4 (location or address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:48
-	12	((("717").CLAS.) or (("709").CLAS.)) and (program\$4 or code or software) near2 select\$3 same (request) near4 (location or address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:51
-	401	((("717").CLAS.) or (("709").CLAS.)) and (response adj2 address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:52

	41	((("717").CLAS.) or (("709").CLAS.)) and (response adj2 address) near10 (program\$4 or code or software or application) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:53
--	----	--	---	------------------